

SPC FLOORING



Colosio.

SPC FLOORING

พื้น SPC หรือ Stone Plastic Composite ผลิตมาจากส่วนผสมของผงหินปูน บดอัดกับพวงพลาสติก ตกแต่งด้วยฟิล์มลายไม้ และเคลือบผิวด้วยสารกันรอย ซึ่งมีคุณสมบัติในการกันน้ำ กันปลวก และไม่ลามไฟ ทนต่ออากาศร้อนได้ดี มีการบิด และหดตัวต่ำ ผิวหน้าแข็ง และทนรอยขีดข่วนได้ดี มีความสวยงาม นุ่มนวล ติดตั้งง่ายด้วยระบบคลิกล็อค ดูแลรักษาง่าย ไม่มีสารที่เป็นพิษต่อผู้อยู่อาศัย อีกทั้งสารเคลือบผิวเป็นแบบลายไม้ป้องกันการสีนได้เป็นอย่างดี



SPC flooring, also known as Stone Plastic Composite, is meticulously crafted by harmoniously melding finely crushed limestone powder with plastic particles. Exquisitely adorned with captivating wood grain motifs, it is then delicately sheathed in a protective anti-scratch shield. Demonstrating remarkable traits, SPC flooring boasts an inherent ability to repel water, thwart termites, and exhibit fire-retardant prowess.

In the face of high temperatures, it stands unwavering, showcasing minimal expansion and contraction tendencies, while its resilient facade defies the mark of scratches. Beyond its durability, SPC flooring radiates an alluring beauty and delivers a soothing tactile experience. Seamlessly assembling through an ingenious click-lock mechanism, it graciously simplifies installation.

Furthermore, upkeep becomes an effortless endeavor, underscored by its absence of harmful toxins that could pose risks to inhabitants. In the realm of safety, its surface coating artfully fends off potential slips, assuring secure footing. In essence, SPC flooring harmonizes functionality, aesthetics, and user-friendliness to elevate living spaces.



SPC FLOORING

PRODUCT DETAILS

CERAMIC UV COATING

Wear layer 0.5 mm.


DECOR FILM

SPC CORE / RIGID CORE BOARD

1.5 MM. IXPE UNDERLAY

SIZE : 5.5 X 180 X 1220 MM.

QTY : 2.2 M²/BOX



IXPE Foam Backing



Non-Formaldehyde



Anti-Termite



Fire Resistant



100% Water Proof*



2G VÄLINGE LOCK



Noise Reduction



Anti-Slip



Excellence Anti Scratch



Easy to clean & Maintain

*The water flows through and is retained for no more than 24 hours.

PLANK

BISCUIT



CLOUDY WHITE



FROZEN SMOKE



HAZELNUT



IMPERIAL OAK



SPC FLOORING

PLANK

LAGUNA



LIGHT GREY



SILVER SAND



SUGAR BROWN



TEAK



SPC FLOORING

PLANK

WALNUT



WHITE OAK



WHITE WASH



SPC HERRINGBONE

PRODUCT DETAILS

CERAMIC UV COATING

Wear layer 0.5 mm.

DECOR FILM

SPC CORE / RIGID CORE BOARD

SIZE : 4 X 125 X 625 MM.

QTY : 1.56 M²/BOX



Non-Formaldehyde



Anti-Termite



Fire Resistant



100% Water Proof*



Easy to clean & Maintain



2G Välinge LOCK



Noise Reduction



Anti-Slip



Excellence Anti Scratch

HERRINGBONE

TERRA



DESSERT GREY



BUTTERCUP



NUTELLA



HERRINGBONE

WHITE OAK



WHEAT



TEAK



WALNUT



SPC MARBLE

PRODUCT DETAILS

CERAMIC UV COATING

Wear layer 0.5 mm.

DECOR FILM

SPC CORE / RIGID CORE BOARD

1.5 MM. IXPE UNDERLAY

SIZE : 5.5 X 305 X 610 MM.

QTY : 1.86 M²/BOX



IXPE Foam Backing



Non-Formaldehyde



Anti-Termite



Fire Resistant



100% Water Proof*



2G Valinge LOCK



Noise Reduction



Anti-Slip



Excellence Anti Scratch



Easy to clean & Maintain

MARBLE

GREY MARBLE



GREY STONE



SILVER STONE



WHITE MARBLE



Colosio.



colosiothailand

หรือ สแกน QR CODE
เพื่อเป็นเพื่อนกับเรา

ติดต่อเรา

576, 578, 51 ถนนประชาราษฎร์ สาย 1
บางซื่อ กรุงเทพฯ 10800

โทรศัพท์

02-912-7991

www.colosiothailand.com